
Machining technology

OD Grooving





Insertable tooling systems for different cutting widths and machine types.



OD Grooving with Schwanog:

Insertable tooling systems for different cutting widths and machine types.

High quality, cost pressure and global competition are demands which dominate today's daily business of manufacturers for precision turned parts. Grooving instead of single-point turning prevailed in the last few years as an efficient solution in all sectors and on practically all machine types.

With its form tools which are manufactured individually according to customer drawing, Schwanog offers a perfect solution with several systems for different cutting widths and machine types. All of Schwanog's tooling

systems consist of a system holder and an insertable form tool which is either ground or EDM wire-cut to customerspecific geometries.

As a result, Schwanog form tools achieve part cost reductions of over 40% repeatedly when compared to the common single-point turning process. Due to the fact that once the tool has perished, only the insertable tool is changed and the costs also remain gratifyingly low, resulting in increased productivity by up to 80%.

Economic advantages:

- □ Part cost reduction by up to 40 %
- Elimination of tool adjustment after tool changeovers due to high system repeatability
- □ Increased productivity up to 80 %
- □ Significant time savings during tool changeover due to insertable tool

Technical facts:

- □ Five systems for groove widths up to 70 mm
- Universal solutions for all lathes and special solutions for multispindle automatic lathes
- □ System solutions for multiple re-grinds as well as one-time (throw-away) use
- Superior surface finish quality due to the ground tool



PWP System:

- ☐ Universal grooving system for use on all lathes
- □ Groove width: up to 33 mm



WEP System:

- ☐ Universal grooving system for use on all lathes
- □ Indexable tool with 3 cutting edges
- □ Goove width: width: up to 16 mm



PWP-B System:

- ☐ Grooving system especially designed for use on multi-spindle automatic lathes
- □ Offers the ability for multiple re-grinds at top rake angle, used for roughing applications
- $\hfill \mbox{Groove width: up to 70 mm}$



PWP-E System:


- ☐ Grooving system especially designed for use on multi-spindle automatic lathes
- Offers the ability for multiple re-grinds at top rake angle, used for finishing applications
- □ Groove width: up to 70 mm




PWP-T System:

- Grooving system especially designed for Tornos AS 14, SAS16 and BS20 multi-spindle automatic lathes
- $\hfill\Box$ Groove width: up to 30 mm


Application examples




PWP System




PWP-B System



PWP-E System



PWP-T System



WEP System

Visit our website at www.schwanog.com and watch the 3D animations for all 5 grooving systems.

There is a perfect solution for every manufacturing process! Take this opportunity and use our capability to lower your part costs and thus increasing your profitability. We are looking forward to show you how, just call or email us your application along with part drawing.

Insertable tooling systems



OD Grooving



OD Grooving for rotary transfer machines



ID Grooving



ID Grooving and turning with WSI



Form drilling



Solid Carbide drills



Shave Tools



Skiving Tools



Polygon turning



Broaching of Serrations



OD Whirling



ID Whirling Tools (Thread Mills)



Parts selector

Schwanog · Siegfried Güntert GmbH

Niedereschacher Str. 36 · D-78052 Villingen-Schwenningen Phone +49 7721 94 89 0 · Fax +49 7721 94 89 99 www.schwanog.com · info@schwanog.com

Schwanog LLC

1301 Bowes Road, Suite A · Elgin, IL 60123 Phone +1 847 289 1055 · Fax: +1 847 289 1056 www.schwanog.com · info.usa@schwanog.com

Schwanog France

ZAC des Léchères · 65 Clos de l'Ouche · F-74460 Marnaz Phone +33 450 18 65 16 · Fax +33 450 18 47 75 www.schwanog.com · info.france@schwanog.com

Schwanog Indexable Form Tools (Kunshan) Co. Ltd

German Industry Park II · #329 Jujing Road 215321 Kunshan, Jiangsu Province Phone +86 0512 8788 0075 www.schwanog.com · info.china@schwanog.com

Schwanog · Siegfried Güntert GmbH

CZ-76326 Pozlovice
Phone +420 604 577 616
www.schwanog.com · vladimir.hrib@schwanog.com

Schwanog · Siegfried Güntert GmbH

PL-05-410 Józefów Phone +48 606 177 025 www.schwanog.com · lukasz.kucinski@schwanog.com

Schwanog · Siegfried Güntert GmbH

SE-64752 Åkers Styckebruk Phone +46 734 472 100 www.schwanog.com · henrik.solberg@schwanog.com



Viale Italia 95 · 25064 Gussago (Brescia) Phone +39 030 2520842 · Fax +39 030 2521481 www.ubr.it · ubr@ubr.it